

Building & Plumbing Permit Application

A. Time Frame for Building Permit Issuance

This table is for information only to explain the time allowed for review of a building permit application for a permit to be issued or refused.

B. Declaration of Applicant

The Declaration of Applicant must be completed to obtain a permit.

C. Checklist for Building Permit Applications

Please ensure that the Checklist For Building Permit Applications is reviewed, completed & signed.

D. Application for a Permit to Construct or Demolish

The Application for a Permit to Construct or Demolish must be completed. Also required is a site plan, lot grading plan & two copies of blueprints and/or plans.

E. <u>Schedule 1: Designer Information</u>

Schedule 1 – Designer Information must be completed by every person engaged in the business of providing design activities unless exempt from the requirement under Section. 2.17.4.1 (3).

F. Energy Efficiency Design Summary

Please complete either the Prescriptive Method, the Performance & Other Acceptable Compliance Methods or as set by the Ministry of Municipal Affairs, depending on your construction plans.

G.Schedule A: Plumbing Permit Application

This schedule, as well as the Application for a Permit to Construct or Demolish, must be completed to obtain a plumbing permit.

January, 2017



TIME FRAME FOR THE ISSUANCE OF BUILDING PERMITS

A building permit shall be issued in accordance with Table 2.4.1.1B of the Building Code unless:

- (a). the proposed building, construction or demolition will contravene the Building Code Act, the Building Code, or any other applicable law;
- (b). the applicant is a builder or vendor as defined in the Ontario New Home Warranties Plan Act and is not registered under that Act;
- (c). a person who prepared drawings, plans, specifications or other documents or gave an opinion concerning the compliance of the proposed building or construction with the building code does not have the applicable qualifications, if any, set out in the building code or does not have the insurance, if any, required by the building code;
- (d). the plans review certificate, if any, required for the application does not contain the prescribed information;
- (e). the application for the permit is not complete; or
- (f). any fees due have not been paid.

Row	Class of Building	Time Period
Number		
1	(a). A detached house, semi-detached house, townhouse or row house where no dwelling unit is located above another dwelling unit.	10 days
	(b). A detached structure that serves a building described in Clause (a) and does not exceed 50 m ² in building area.	
	(c). A tent to which Section 3.13 of the building code applies.	
	(d). A sign to which Section 3.14 of the building code applies.	
2	 (a). Buildings described in Clauses 2.1.1.3.(1)(a),(b) and (c) (Part 9 buildings) other than buildings described in Column 2 of any of Rows 1 and 4 of this table. 	15 days
	(b). Farm buildings that do not exceed 600 m ² in building area.	
3	 (a). Buildings described in Clause 2.1.1.2.(1)(a) or (b) (Part 3 buildings), other than buildings in Column 2 of any of Rows 1 and 4 of this table. 	20 days
	(b). Farm buildings exceeding 600 m ² in building area.	
4	(a) Post-disaster buildings.	30 days
	(b). Buildings to which Subsection 3.2.6. (high buildings and Group B buildings) or any provision in articles 3.2.8.2 to 3.2.8.11 applies.	ŕ
Column 1	Column 2	Column 3

Table 2.4.1.1B

The period within which a building permit shall be issued or refused.

The time period above begins on the day on which a permit for the construction of a sewage system serving the building (if required) is issued as per 2.4.1.1B. (9)(c). The period within which a permit for a septic system shall be issued or refused is based on the class of building in the above table as per 2.4.1.1B. (8)(b).

Declaration of Applicant

Project Address:

Section A Is this project a commercial, agricultural, or industrial application?	Yes	Νο
Does the proposal involve fuel handling/storage ≥15,000 litres?	Yes	Νο
Section B	Ň	
Are there any hydro poles/hydro easements on this property?	Yes	Νο
Is there any gas or oil or any other utility easement on this property?	Yes	No
Are there any Right-of-Way accesses on this property?	Yes	Νο
Are there any easements (of any nature) on this property?	Yes	Νο
Are there any closed private/municipal drains on this property?	Yes	Νο
Are there any agreements/leases attached to title (i.e. wind, gas/oil etc.)-	Yes	Νο
If the second VEO is a still second is Orables D		

If you answered <u>YES</u> to any of the questions in <u>Section B</u> - you are required to clearly indicate on your site/plot/lot diagram the location of such items and provide sufficient documentation where <u>applicable/requested</u>.

Section C

I understand that property locates are my sole responsibility. Yes No I understand it is my sole responsibility to ensure all substantial completion inspections (as outlined in the issued permit) are requested with 48 hours' notice, carried out and approved prior to proceeding to the next stage of construction. Yes No

I understand that I will be responsible to remit all applicable fees prior to my permit being officially issued and further I may be subject to the said fees if my application is denied, revoked or cancelled (by myself), as per the applicable building permit by-law. Yes No

Ι,	certify that:
	(Print name)
1.	The information contained in this declaration, application, attached plans and specifications, and other attached

2. As the Owner/Agent/Contractor I take responsibility to ensure compliance to all federal, provincial and municipal legislation and or regulations prior to, during and after construction.

- 3. I will not hold The County of Lambton or its employees liable for any actions by myself resulting in; non-issuance of a permit, revoking of a permit, civil action and or possible fine.
- 4. I have authority to bind the corporation or partnership (if applicable).

(Date)

(Signature of Applicant)

Personal information contained in this form and schedules is collected under the authority of Section 7 Subsections 8(2) of the Building Code Act, and will be used in the administration and enforcement of the Building Code Act, 1992. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality to which this application is being made.

Please Note: This declaration must be completed in its entirety prior to the issuance of a building/plumbing/septic permit, no exceptions.

Building Permit Application Checklist

- Completed Building Permit Application, including plumbing and septic (as applicable), this includes all Designer Schedules and Energy Efficiency Design summary
- Completed Declaration
- Site/Lot/Plot Plan/Diagram (2 copies) clearly demonstrating the following:
 - Location of proposed building
 - All other buildings on the property (including dimensions)
 - Setbacks to property lines
 - Include all easements, right-of-way, septic, wells, hydro wires (overhead and underground) etc.
 - Driveway location and dimensions
- Construction Plans including all structural/architectural/design details (2 copies)
 - Foundation plan, showing type, wall height and height of backfill
 - Footing size and location
 - Elevations including top of finished ground to highest point on building
 - Floor plan of each floor
 - Finished basement plan if applicable
 - Typical wall cross section
 - Longitudinal cross section, if applicable
 - Beam and lintel sizes and span, joist sizes, rafters, headers etc
 - Professional Engineered components (i.e. roof truss, joists) layouts submitted, reviewed and signed off by your designer
 - Heat loss and design summary calculations and layout (applies to all methods of heat: infloor, electric, forced air, etc.)
- Proposed Grading Plan (new construction, infill lots etc.) as required (2 copies)
- External Approvals
 - Minor Variance Approval 1 copy
 - Conservation Authority Approval 1 copy
 - Driveway/Access Approval 1 copy
 - Any other applicable law approval documents 1 copy

Please Note: Incomplete applications will be subject to delay and prescribed time frames for the issuance of said permits will not be applicable.

Exception: Permit fees will be calculated by staff and will be applicable at time of permit issuance and are not required to be attached to the application.

Application for a Permit to Construct or Demolish This form is authorized under subsection 8(1.1) of the *Building Code Act, 1992*

For use by Principal Authority								
Application number:			Permit n	umber (if diffe	rent):			
Date received:	Date received: Roll							
Application submitted to:(Name of municipali	ity, upper-tie	r munic	cipality, bo	ard of health or c	onservatio	on authority)		
A. Project information								
Building number, street name						Unit number		Lot/con.
Municipality	Postal co	ode		Plan number/	other de	scription		
Project value est. \$				Area of work	(m²)			
B. Purpose of application								
New construction Addition t existing b	to an wilding] Altera	tion/repair		Demolition		Conditional Permit
Proposed use of building		Curre	nt use of	building				
Description of proposed work								
C. Applicant Applicant is:	Owner	or		Authorized	d agent	of owner		
Last name	First nam	ne		Corporation o	or partner	ship		
Street address						Unit number		Lot/con.
Municipality	Postal co	ode		Province		E-mail		
Telephone number ()	Fax ()					Cell number ()		
D. Owner (if different from applicant)								
Last name	First nam	ne		Corporation c	r partner	ship		
Street address	1					Unit number		Lot/con.
Municipality	Postal co	ode		Province		E-mail		
Telephone number ()	Fax ()					Cell number ()		

Application for a Permit to Construct or Demolish - Effective January 1, 2014

E. Builder (optional)						
Last name	First name	Corporation or partners	hip (if applio	cable)		
Street address			Unit numb	er	Lot/con.	
Municipality	Postal code	Province	E-mail			
Telephone number ()	Fax ()		Cell numb	er		
F. Tarion Warranty Corporation (Ontario	New Home Warrant	y Program)				
i. Is proposed construction for a new hom <i>Plan Act</i> ? If no, go to section G.	ie as defined in the Ontai	rio New Home Warranties	3	ΠY	′es 🛛	No
ii. Is registration required under the Ontar	io New Home Warranties	s Plan Act?		ΠY	′es 🛛	No
iii. If yes to (ii) provide registration number	(s):					
G. Required Schedules						
i) Attach Schedule 1 for each individual who rev	views and takes responsi	bility for design activities.				
ii) Attach Schedule 2 where application is to con	struct on-site, install or re	epair a sewage system.				
H. Completeness and compliance with a	applicable law					
 This application meets all the requirements o Building Code (the application is made in the applicable fields have been completed on the schedules are submitted) 	f clauses 1.3.1.3 (5) (a) to correct form and by the o application and required	o (d) of Division C of the owner or authorized agen I schedules, and all requir	t, all red	ΠY	′es 🗆	No
Payment has been made of all fees that are r regulation made under clause 7(1)(c) of the <i>E</i> application is made.	equired, under the applic Building Code Act, 1992, f	able by-law, resolution or to be paid when the		ΠY	′es 🗆	No
ii) This application is accompanied by the plans resolution or regulation made under clause 7	and specifications presci (1)(b) of the <i>Building Coc</i>	ribed by the applicable by de Act, 1992.	-law,	ΠY	′es 🗆	No
iii) This application is accompanied by the inform law, resolution or regulation made under clau the chief building official to determine whethe contravene any applicable law.	ation and documents presents of the Building r the proposed building, of the proposed building,	escribed by the applicable <i>Code Act, 1992</i> which er construction or demolition	e by- nable i will	ΠY	′es □	No
iv) The proposed building, construction or demo	ition will not contravene a	any applicable law.		ΠY	′es 🛛	No
I. Declaration of applicant						
				de	clare that:	
(print name)				00		
 The information contained in this applic documentation is true to the best of my If the owner is a corporation or partners 	ation, attached schedule knowledge. hip, I have the authority t	s, attached plans and spe o bind the corporation or	ecifications, partnership	and oth	ner attached	
Date	Signature of a	applicant				

Signature of applicant

Personal information contained in this form and schedules is collected under the authority of subsection 8(1.1) of the *Building Code Act, 1992*, and will be used in the administration and enforcement of the *Building Code Act, 1992*. Questions about the collection of personal information may be addressed to: a) the Chief Building Official of the municipality or upper-tier municipality to which this application is being made, or, b) the inspector having the powers and duties of a chief building official in relation to sewage systems or plumbing for an upper-tier municipality, board of health or conservation authority to whom this application is made, or, c) Director, Building and Development Branch, Ministry of Municipal Affairs and Housing 777 Bay St., 2nd Floor. Toronto, M5G 2E5 (416) 585-6666

Schedule 1: Designer Information

Use one form for each individual who reviews and takes responsibility for design activities with respect to the project.

A. Project Information							
Building number, street name			Unit no.	Lot/con.			
Municipality	Postal code	Plan number/ other descrip	otion				
B. Individual who reviews and takes	s responsibili	ty for design activities					
Name		Firm					
Street address		1	Unit no.	Lot/con.			
Municipality	Postal code	Province	E-mail				
Telephone number	Fax number ()	•	Cell number				
C. Design activities undertaken by i Division C]	ndividual ide	ntified in Section B. [Bu	ilding Code Tal	ole 3.5.2.1. of			
House HVAC – House Building Structural Small Buildings Building Services Plumbing – House Large Buildings Detection, Lighting and Power Plumbing – All Buildings Complex Buildings Fire Protection On-site Sewage Systems Description of designer's work HVAC – House HVAC – House							
D. Declaration of Designer							
1		de	eclare that (choose	e one as appropriate):			
(print name	e)						
I review and take responsibility C, of the Building Code. I am of Individual BCIN: Firm BCIN:	y for the design qualified, and th	work on behalf of a firm regisered, in the ap	stered under subs propriate classes/c	ection 3.2.4.of Division categories.			
I review and take responsibility for the design and am qualified in the appropriate category as an "other designer" under subsection 3.2.5.of Division C, of the Building Code. Individual BCIN:							
Basis for exemption from registration:							
The design work is exempt from the registration and qualification requirements of the Building Code. Basis for exemption from registration and qualification:							
I certify that:							
 The information contained in this schedule is true to the best of my knowledge. I have submitted this application with the knowledge and consent of the firm. 							
Date		Signature of Designer					
NOTE:							

1. For the purposes of this form, "individual" means the "person" referred to in Clause 3.2.4.7(1) (c).of Division C, Article 3.2.5.1. of Division C, and all other persons who are exempt from qualification under Subsections 3.2.4. and 3.2.5. of Division C.

 Schedule 1 is not required to be completed by a holder of a license, temporary license, or a certificate of practice, issued by the Ontario Association of Architects. Schedule 1 is also not required to be completed by a holder of a license to practise, a limited license to practise, or a certificate of authorization, issued by the Association of Professional Engineers of Ontario.

Energy Efficiency Design Summary: Prescriptive Method (Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the prescriptive method described in Subsection 3.1.1. of SB-12. This form is applicable where the ratio of gross area of windows/sidelights/skylights/glazing in doors and sliding glass doors to the gross area of peripheral walls is not more than 22%.

			For use by P	rincipal Au	Ithority		
Application No:				Model/0	Certification Number		
A. Project Information							
Building number, street name						Unit number	Lot/Con
Municipality		Postal o	ode	Reg Pla	an number / other descripti	on	
		. 001010					
B. Prescriptive Com	pliance	[indicate t	he building cod	e complia	nce package being en	nployed in this house	e design]
SB-12 Prescriptive (input	design pa	ackage):	Package: _		Та	ble:	
C. Project Design Conditions							
Climatic Zone (SB-1):	He	eating Eq	uipment Effic	ciency	Space Heating F	uel Source	
□ Zone 1 (< 5000 degree days)		≥ 92% AF	UE		□ Gas	Propane	□ Solid Fuel
□ Zone 2 (≥ 5000 degree days)		≥ 84% < 9	92% AFUE		□ Oil		Earth Energy
Ratio of Windows, Skylights & C	àlass (W,	S & G) to	Wall Area		Other Building C	haracteristics	
Area of walls = m^2					□ Log/Post&Bean	n ⊡ ICF Above G	rade DICE Basement
n		W, S & G	% =		□ Air Conditioning	\Box Combo Unit	อการกเ
				<i>,</i>	□ Air Sourced He	at Pump (ASHP)	
Area of W, S & G = \m^2 or \ft^2		ize window	averaging: D	′es ⊡No	□ Ground Sourced Heat Pump (GSHP)		
D. Building Specifications [provide values and ratings of the energy efficiency components proposed]							
Energy Efficiency Substitut	ions		0				
□ ICF (3.1.1.2.(5) & (6) / 3.1.1.3.(5) & (6))						
Combined space heating and c	omestic v	water heat	ing systems	(3.1.1.2.(7) / 3.1.1.3.(7))		
 Airtightness substitution(s) 							
	able 3.1.1	.4.B Req	uired:		Permitt	ed Substitution:	
(Refer to Design Guide Attached)	able 3.1.1	.1.1.4.C Required:			Permitt	ed Substitution:	
		Req	uired:	Permitted Substitution:			
Building Component	Min	nimum RS Maximur	SI / R values n U-Value ⁽¹⁾		Building Compo	onent	Efficiency Ratings
Thermal Insulation	N	ominal	Effective	Window	ws & Doors Provi	ide U-Value ⁽¹⁾ or ER ra	ating
Ceiling with Attic Space				Window	vs/Sliding Glass [Doors	
Ceiling without Attic Space				Skylights/Glazed Roofs			
Exposed Floor				Mecha	nicals		
Walls Above Grade				Heating	g Equip.(AFUE)		
Basement Walls				HRV EI	HRV Efficiency (SRE% at 0° C)		
Slab (all >600mm below grade)			DHW H	leater (EF)			
Slab (edge only ≤600mm below grade) DWHR (CSA B55.1 (min. 42% efficiency)) #					#		
Slab (all ≤600mm below grade, or he	Slab (all ≤600mm below grade, or heated) Combined Heating System						
(1) U value to be provided in either W	/(m²•K) or [Btu/(h•ft ² •F)	but not both.				
E. Designer(s) [name(s) & BC	IN(s), if app	plicable, of	person(s) provi	ding inforn	nation herein to subst	antiate that design m	neets the building code]
Qualified Designer Declaration of	designer to	o have revie	ewed and take	responsibi	lity for the design wor	k.	

BCIN Signature Name

Form authorized by OHBA, OBOA, LMCBO. Revised December 1, 2016.

Guide to the Prescriptive Energy Efficiency Design Summary Form

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

The building code permits a house designer to use one of four energy efficiency compliance options:

- 1. Comply with the <u>SB-12 Prescriptive</u> design tables (this form is for this option (Option 1)),
- 2. Use the <u>SB-12 Performance</u> compliance method, and model the design against the prescriptive standards,
- 3. Design to Energy Star, or
- 4. Design to <u>R2000</u> standards.

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

• <u>SB-12 Prescriptive</u> requires that the building conforms to a package of thermal insulation, window and mechanical system efficiency requirements set out in Subsection 3.1.1. of SB-12. Energy efficiency design modeling and testing of the building is not required under this option. Certain substitutions are permitted. In which case, the applicable airtightness targets in Table 3.1.1.4.A must be met.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 *Windows, Skylights and Glass Doors:* If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. If the ratio is more than 22%, the *SB-12 Prescriptive* option may not be used. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details. *Fuel Source and Heating Equipment Efficiency:* The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. *Other Building Conditions:* These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Under the <u>SB-12 Prescriptive</u> option, alternative ICF wall insulation is permitted in certain conditions where other design elements meet higher standards. Refer to SB-12 for further details. Where effective insulation values are being used, the Authority Having Jurisdiction may require supporting documentation.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.1.4.A are not requirements. This provision is a voluntary provision for when credits for airtightness are claimed. Credit for air tightness allows the designer to substitute the requirements of compliance packages as set out in Table 3.1.1.4.B or 3.1.1.4.C. Neither the air leakage test nor compliance with airtightness targets given in Table 3.1.1.4.A are required, unless credit for airtightness is claimed. Table 3.1.1.4.A provides airtightness targets in three different metrics; ACH, NLA, NLR. Any one of them can be used. OBC Reference Default Air Leakage Rates (Table 3.1.1.4.A)

Duvilalizati Tura a	Airtightness Targets						
Building Type	ACH @ 50 Pa	NLA @) 10 Pa	NLR @ 50 Pa			
Detached dwelling	2.5	1.26 cm ² /m ²	1.81 in ² /100ft ²	0.93 L/s/m ²	0.18 cfm50/ft ²		
Attached dwelling	3.0	2.12 cm ² /m ²	3.06 in ² /100ft ²	1.32 L/s/m ²	0.26 cfm50/ft ²		

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Prescriptive</u> option with airtightness credit being applied. Results of the airtightness test may need to be submitted to the Authority Having Jurisdiction. Airtightness of less than 2.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses of attached houses is necessary to meet the required energy efficiency standard.

E. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.

Energy Efficiency Design Summary:

Performance & Other Acceptable Compliance Methods

(Building Code Part 9, Residential)

This form is used by a designer to demonstrate that the energy efficiency design of a house complies with the building code using the Performance or Other Acceptable Compliance Methods described in Subsections 3.1.2. and 3.1.3. of SB-12,

This form must accurately reflect the information contained on the drawings and specifications being submitted. Refer to Supplementary Standard SB-12 for details about building code compliance requirements. Further information about energy efficiency requirements for new buildings is available from the provincial building code website or the municipal building department.

For use by Principal Authority				
Application No:	Model/Certification Number			

A. Project Information

Building number, street name			Unit number	Lot/Con
Municipality	Postal code	Reg. Plan number / other descripti	on	

B. Compliance Option [indicate the building code compliance option being employed in this house design]

□ SB-12 Performance* [SB-12 -	* Attach energy performance results using an approved software (see guide)
D ENERGY STAR®* [SB-12 - 3.1.3.]	* Attach Builder Option Package [BOP] form
□ <i>R-2000®</i> *[SB-12 - 3.1.3.]	* Attach R-2000 HOT2000 Report

C. Project Building Design Conditions

Climatic Zone (SB-1):	Heating Equipment Efficiency	Space Heating F	Fuel Source			
Zone 1 (< 5000 degree days)	□ ≥ 92% AFUE	🗆 Gas	Propane	Solid Fuel		
□ Zone 2 (≥ 5000 degree days)	□ ≥ 84% < 92% AFUE	□ Oil	Electric	Earth Energy		
Ratio of Windows, Skylights & Glass	(W, S & G) to Wall Area	Other Building (Characteristics			
Area of walls = m^2		Log/Post&Bear	m 🗆 ICF Above Gra	de 🛛 ICF Basement		
orft ²		Slab-on-ground	d 🗆 Walkout Basen	nent		
	W.S&G%=	Air Conditioning Combo Unit				
Area of W, S & G = \m^2		Air Source Heat	at Pump (ASHP)			
orft ²		Ground Source	e Heat Pump (GSHP)		
SB-12 Performance Reference Building Design Package indicating the prescriptive package to be compared for compliance						
SB-12 Referenced Building Package (input design package): Package: Table:						

D. Building Specifications [provide values and ratings of the energy efficiency components proposed, or attach *ENERGY STAR* BOP form

Building Component	Minimum RSI / R values or Maximum U-Value ⁽¹⁾		Building Component	Efficiency Ratings
Thermal Insulation	Nominal	Effective	Windows & Doors Provide U-Value ⁽¹⁾ or ER rating	
Ceiling with Attic Space			Windows/Sliding Glass Doors	
Ceiling without Attic Space			Skylights/Glazed Roofs	
Exposed Floor			Mechanicals	
Walls Above Grade			Heating Equip.(AFUE)	
Basement Walls			HRV Efficiency (SRE% at 0°C)	
Slab (all >600mm below grade)			DHW Heater (EF)	
Slab (edge only ≤600mm below grade)			DWHR (CSA B55.1 (min. 42% efficiency))	#
Slab (all ≤600mm below grade, or heated)			Combined Space / Dom. Water Heating	

(1) U value to be provided in either $W/(m^2 \cdot K)$ or $Btu/(h \cdot ft^2 \cdot F)$ but not both.

E. Performance Design Verification [Subsection 3.1.2. Performance Compliance]					
The annual energy consumption using Subsection 3.1.1. SB-12 Reference Building Package isGJ (1 GJ =1000MJ)					
The annual energy consumption of this house as designed isGJ					
The software used to simulate the annual energy use of the building is:					
The building is being designed using an air tightness baseline of:					
OBC reference ACH, NLA or NLR default values (no depressurization test required)					
□ Targeted ACH, NLA or NLR. Depressurization test to meetACH50 or NLR or NLA					
Reduction of overall thermal performance of the proposed building envelope is not more than 25% of the envelope of the compliance package it is compared against (3.1.2.1.(6)).					
Standard Operating Conditions Applied (A-3.1.2.1 - 4.6.2)					
Reduced Operating Conditions for Zero-rated homes Applied (A-3.1.2.1 - 4.6.2.5)					
On Site Renewable(s): Solar:					
Other Types:					

F. ENERGY STAR or R-2000 Performance Design Verification [Subsection 3.1.3. Other Acceptable Compliance

М	eth	od	s
	· · · ·		~

The NRCan "ENERGY STAR for New Homes Standard Version 12.6" technical requirements, applied to this building
design result in the building performance meeting or exceeding the prescriptive performance requirements of the
Supplementary Standard SB12 (A-3.1.3.1).

□ The NRCan, "2012 R-2000 Standard " technical requirements, applied to this building design result in the building performance meeting or exceeding the prescriptive performance requirements of the Supplementary Standard SB12 (A-3.1.3.1).

Performance Energy Modeling Professional

Energy Evaluator/Advisor/Rater/CEM Name and company:

Accreditation or Evaluator/Advisor/Rater License #

ENERGY STAR or R-2000

Energy Evaluator/Advisor/Rater/ Name and company:

Evaluator/Advisor/Rater License #

G. Designer(s) [name(s) & BCIN(s), if applicable, of person(s) providing information herein to substantiate that design meets the building code]

Qualified Designer: Declaration of designer to have reviewed and take responsibility for the design work.				
Name	BCIN	Signature		

Form authorized by OHBA, OBOA, LMCBO. Revised December 1, 2016

Guide to the Energy Efficiency Design Summary Form for Performance & Other Acceptable Compliance Methods

COMPLETING THE FORM

B. Compliance Options

Indicate the compliance option being used.

- <u>SB-12 Performance</u> refers to the method of compliance in Subsection 3.1.2. of SB-12. Using this approach the designer must use recognized energy simulation software (such as HOT2000 V10.51 or newer), and submit documents which show that the annual energy use of the proposed building is equal to or less than a prescriptive (referenced) building package.
- <u>ENERGY STAR</u> houses must be designed to ENERGY STAR requirements and verified on completion by a licensed energy evaluator and/or service organization. The ENERGY STAR BOP form must be submitted with the permit

documents.

• *R-2000* houses must be designed to the *R-2000 Standard* and verified on completion by a licensed energy evaluator and/or service organization. The HOT2000 report must be submitted with the permit documents.

C. Project Design Conditions

Climatic Zone: The number of degree days for Ontario cities is contained in Supplementary Standard SB-1 *Windows, Skylights and Glass Doors:* If the ratio of the total gross area of windows, sidelights, skylights, glazing in doors and sliding glass doors to the total gross area of walls is more than 17%, higher efficiency glazing is required. The total area is the sum of all the structural rough openings. Some exceptions apply. Refer to 3.1.1.1. of SB-12 for further details.

Fuel Source and Heating Equipment Efficiency: The fuel source and efficiency of the proposed heating equipment must be specified in order to determine which <u>SB-12 Prescriptive</u> compliance package table applies. *Other Building Conditions:* These construction conditions affect <u>SB-12 Prescriptive</u> compliance requirements.

D. Building Specifications

Thermal Insulation: Indicate the RSI or R-value being proposed where they apply to the house design. Refer to SB-12 for further details.

E. Performance Design Summary

A summary of the performance design applicable only to the <u>SB-12 Performance</u> option.

F. ENERGY STAR or R-2000 Performance Method

Design to ENERGY STAR or R-2000 Standards.

G. House Designer

The building code requires designers providing information about whether a building complies with the building code to have a BCIN. Exemptions apply to architects, engineers and owners designing their own house.

BUILDING CODE REQUIREMENTS FOR AIRTIGHTNESS IN NEW HOUSES

All houses must comply with increased air barrier requirements in the building code. Notice of air barrier completion must be provided and an inspection conducted prior to it being covered.

The air leakage rates in Table 3.1.2.1. are not requirements. The Table is not intended to require or suggest that the building meet those airtightness targets. They are provided only as default or reference values for the purpose of annual energy simulations, should the builder/owner decide to perform such simulations. They are given in three different metrics; ACH, NLA, NLR. Any one of them can be used. They can be used as a default values for both a reference and proposed building or, where an air leakage test is conducted and credit for airtightness is claimed, the airtightness values in Table 3.1.2.1. can be used for the reference building and the actual leakage rates obtained from the air leakage test can be used as inputs for the proposed building.

OBC Reference Default Air Leakage Rates (Table 3.1.2.1.)

Detached dwelling	3.0 ACH50	NLA 2.12 cm ² /m ²	NLR 1.32 L/s/m ²
Attached dwelling	3.5 ACH50	NLA 2.27 cm ² /m ²	NLR 1.44 L/s/m ²

The building code requires that a blower door test be conducted to verify the air tightness of the house during construction if the <u>SB-12 Performance</u> option is used and an air tightness of less than 3.0 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of detached houses, or 3.5 ACH @ 50 Pa (or NLA or NLR equivalent) in the case of attached houses is necessary to meet the required energy efficiency standard.

ENERGY EFFICIENCY LABELING FOR NEW HOUSES

ENERGY STAR and R-2000 may issue labels for new homes constructed under their energy efficiency programs. The building code does not currently regulate or require new home labeling.

Form authorized by OHBA, OBOA, LMCBO. Revised December 1, 2016



Ministry of Municipal Affairs and Ministry of Housing

ABOUT | NEWSROOM | JOB OPPORTUNITIES | CONTACT US

You are here > <u>Home</u> > <u>Your Ministry</u> > <u>Ontario Building Code</u> > <u>Publications</u> > Energy Efficiency Checklists for Part 3 Buildings and Part 9 Non-Residential Buildings

Energy Efficiency Checklists for Part 3 Buildings and Part 9 Non-Residential Buildings

Email this page

Checklists were created by the Ministry of Municipal Affairs, to help building designers and building officials meet the energy efficiency requirements of the Building Code for Part 3 Buildings and Part 9 Non-Residential Buildings.

However, these checklists do not reflect the changes to the Building Code that came into **effect on January 1**, **2017** and have therefore been removed from the OBOA-TACBOC-LMCBO site.

The ministry is taking steps to update the checklists to support compliance with new Building Code energy efficiency requirements that came into effect on January 1, 2017, for Division B Part 3 buildings and Part 9 non-residential buildings. Updates to the checklists are currently under development and once finalized, users can access them from the **OBOA-TACBOC-LMCBO** web page.

CONTACT-US | ACCESSIBILITY | PRIVACY | TERMS OF USE | SITE MAP

COPYRIGHT © QUEEN'S PRINTER FOR ONTARIO, 2008-2016 - LAST MODIFIED:WEDNESDAY, JANUARY 4, 2017

SCHEDULE 'A'

Plumbing Information

Owner Name:	Address of Proposed Work:
Plumber:	Municipality:

Please list the number of fixtures per floor on the following chart. (new or relocated)

FLOOR	Basement	1	2	3	4	Total Number
Toilet						
Bath tub						
Wash basin						
Kitchen sink						
Laundry tubs						
Floor drain						
Showers						
Urinal						
Clothes washer						
Dish washer - domestic						
Other sinks						
Drinking fountain						
Hot water heater						
Sewage Pump						
Grease Interceptor						
TOTAL						

No. of Dwelling Units	R.W.L.	Water Lines
Soil Vent Stacks	Sanitary Lateral	Oil Interceptor
Catch Basin	Storm Lateral	Backflow Preventer
Lawn Sprinkler System		